AB KARUNIA
PARTNER & SOLUTIONS



SAFETY *Protection* CATALOGUE

2023-2024

PRODUCT CATALOGUE



ABOUT US 01

HEAD PROTECTION 02

EYES PROTECTION 03

HEAR PROTECTION 04

FIRE PROTECTION 05

EMERGENCY EQUIPMENT 06

SAFETY & SECURITY EQUIPMENT 07

PRODUCT CATALOG



RESPIRATORY PROTECTION 08

BODY PROTECTION 09

HAND PROTECTION 10

FOOTWEAR PROTECTION 11

FALL PROTECTION 12

MACHINE INDUSTRIAL 13

INDUSTRIAL MAINTENANCE 14

ABOUT **COMPANY**

A3 KARUNIA
PARTNER & SOLUTIONS

PT. A3 Karunia berdiri sejak tahun 2014, yang pada saat itu fokus pada supply safety cutter. Namun, seiring berjalannya waktu, kini A3 Karunia telah berkembang menjadi supplier APD dan kebutuhan industrial lainnya seperti Walk Through Survey APD, Safety Sign, Fixed/Portable System (Gas Detector, Fall Protection), dan Sertifikasi Laik Fungsi (SLF).





A3 KARUNIA
PARTNER & SOLUTIONS

VISI

Menjadi supplier dan rekanan yang kompetitif & solutif dalam menyelenggarakan sistem safety yang baik di Indonesia

MISI

- Memperluas jangkauan produk dan supply APD yang berkualitas berdasarkan kebutuhan safety customer.
- Memberikan support melalui program awareness seperti training serta selling point yaitu flexibilitas harga yang competitive.
- Memberikan support after sales service yang berkelanjutan bagi customer.

HEAD
PROTECTION



FEATURED



V-Gard® 930 Vented Protective Cap

FEATURED



V-Gard® Full Brim Hard Hats

FEATURED



V-Gard® H1 Safety Helmet



Vanguard™ Lateral Hard Hat - Type II







3M™ Vented UV Indicator Hard Hat with Ratchet Adjustment

92000 – White
92001 – Yellow

- Sun-smart sensor for increased hard hat safety: UV indicator lets wearers know when to replace hard hat due to UV exposure
- Comfortable suspension sits lower on head to reduce pressure points and increase security
- Optimized comfort with 3 levels of height adjustment
- Includes a replaceable, ventilated foam brow pad that includes a cover for comfort and ventilation between the forehead and the foam
- Smooth-turning 4-point ratchet suspension system
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Made in the USA with globally sourced materials
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Meets the requirements of ANSI/ISEA Z89.1-2009 Type 1, Class C
- Meets CSA Z94.1-2005 Type 1, Class C requirements



3M™ Non-Vented Hard Hat with Ratchet Adjustment

91297 – White
91298 – Yellow

- Comfortable suspension sits lower on head to reduce pressure points and increase security
- Optimized comfort with 3 levels of height adjustment
- Includes a replaceable, ventilated foam brow pad that includes a cover for comfort and ventilation between the forehead and the foam
- Smooth-turning 4-point ratchet suspension system
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Meets the requirements of ANSI/ISEA Z89.1-2009 Type 1, Dielectric Class C, G and E
- Meets CSA Z94.1-2005 Type 1, Dielectric Class C, G and E requirements



3M™ Full-Brim Non-Vented Hard Hat with Ratchet Adjustment

91280 – White

- Comfortable suspension sits lower on head to reduce pressure points and increase security
- Optimized comfort with 3 levels of height adjustment
- Includes a replaceable, ventilated foam brow pad that includes a cover for comfort and ventilation between the forehead and the foam
- Smooth-turning 4-point ratchet suspension system
- Full brim helps protect ears and neck from UV rays
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Dielectric Class C, G and E
- Meets CSA Z94.1-2005 Type 1, Dielectric Class C, G and E requirements



3M™ Vented Hard Hat with 3M™ Non-Vented Hard Hat with Pinlock Adjustment

91295 – White
91296 – Yellow

- Comfortable suspension sits lower on head to reduce pressure points and increase security
- Optimized comfort with 3 levels of height adjustment
- Replaceable sweatband
- Ratchet suspension system
- ANSI/ISEA compliant when worn in the forward and reverse donning positions
- Meets requirements of ANSI/ISEA Z89.1-2009 Type 1, Dielectric Class C, G and E
- Meets CSA Z94.1-2005 Type 1, Dielectric Class C, G and E requirements

HEAD **PROTECTION**





3M™ Hard Hat H-706R, Orange 4-Point Ratchet Suspension, 20 EA/Case



3M™ Hard Hat H-701P, White 4-Point Pinlock Suspension, 20 EA/Case



3M™ Hard Hat H-705R, Red 4-Point Ratchet Suspension, 20 EA/Case



3M™ Ratchet Headgear H8A, 82501-00000 10 EA/Case



3M™ Universal Headgear For Hard Hat H24M 82520-10000 20 EA/Case



3M™ Cap Mount Hard Hat Headgear H18, 82502-00000 10 EA/Case

EYES
PROTECTION





Professional Chemical Splash/ Impact Goggle

91264

- Helps protect eyes from certain airborne particulates and chemical splash
- Meets the requirements of ANSI Z87.1-2010



Indoor and Outdoor Safety Eyewear

- Light weight – weighs less than 1 oz.
- Anti-scratch coating
- Available in clear and tint mirror lenses
- Meets the requirements of ANSI Z87.1-2010

Contractor 6-Pack

Contractor 24-Pack



Chemical Splash/Impact Goggle

91252

- Vents help reduce fogging
- Helps protect eyes from certain airborne particulates and chemical splash
- Anti-scratch coating
- Chemical-resistant headband
- Meets the requirements of ANSI Z87.1-2010



General Purpose Safety Eyewear

- Anti-scratch coating
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Wide Temple Design

- Meets the requirements of ANSI Z87.1-2010 (PPE)
- Meets requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Dual-lens Design

- Anti-scratch coating
- Meets the requirements of ANSI Z87.1-2010



Semi-rimless Design

- Semi-rimless design
- Anti-scratch coating
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Wraparound Design

- Wraparound design
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Fuel™ X2P Polarized Eyewear

- Polarized lenses with anti-scratch coating
- Contoured temple design
- Adjustable nosepiece
- Includes microfiber storage bag and lanyard
- Meets the requirements of ANSI Z87.1-2010



Light Vision™ II LED Safety Eyewear

- Anti-scratch coating
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Readers Safety Eyewear

- Designed for those who need reading glasses and the protection of safety glasses
- Eliminates the need to switch between safety glasses and non-protective reading glasses in order to see and work
- Anti-scratch coating
- Adjustable temple lengths
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



Eyeglass Protectors

47099

- Excellent protection for those who wear prescription eyewear
- Designed to be worn over prescription glasses
- Side shields provide front and peripheral protection
- High-impact, anti-scratch, radial thermal acoustic
- Meets the requirements of ANSI Z87.1-2010

EYES
PROTECTION





3M™ Tour-Guard™ V Protective Eyewear, TGV01-20 Clear, Dispenser Box, 20 ea/Box, 5...



3M™ Virtua™ AP Protective Eyewear 11815-00000-20 Gray Hard Coat Lens, 20 EA/Case



3M™ OX™ Protective Eyewear 2000, 12163-00000-20 Clear Anti-Fog Lens, Black Temple 20...



3M™ SecureFit™ Protective Eyewear SF203AF, Amber Lens, 20 EA/Case



3M™ BX™ Protective Eyewear 11524-00000-20 Light Amber Anti-Fog Lens, Ocean Blue Fram...



3M™ Virtua™ Protective Eyewear 11328-00000-20 I/O Hard Coat Lens, Clear Temple 20 EA/Case

EYES
PROTECTION





3M™ Centurion™ Splash Safety Goggles 454AF 40305-00000-10, Clear Anti-Fog Lens, 10 ...



3M™ Safety Goggles 2890 Series, Indirect Vented, Anti-Scratch/Anti-Fog, Clear ...



3M™ Modul-R™ Safety Goggles 40658-00000-10, Clear Anti Fog Lens, with Chin Protector 10...



3M™ 334AF Chemical Splash Goggle 40661-00000-10DP, Clear Anti-Fog, 10 ea/Case



3M™ 334 Splash Safety Goggles Anti-Fog 40661-00000-10, Clear Anti Fog Lens, 10 EA/Case



3M™ GoggleGear™ 500 Series GG501SGAF, Clear Scotchgard™ Anti-Fog Lens, 10 ea/Case

HEAR **PROTECTION**





3M™ E-A-R™ UltraFit Corded Earplugs, 340-4002, Yellow, 200 Pairs/Case



3M™ E-A-R™ UltraFit Corded Earplugs, 340-4004, Yellow, 400 Pairs/Case



3M™ E-A-R™ Yellow Neons™ earplugs 312-1250, Uncorded, Poly Bag, 2000 ea/Case



3M™ E-A-R™ TaperFit™ 2 Regular Corded Earplugs, Hearing Conservation 312-1223, 2000...



3M™ Foam Earplugs 1110, Corded, 500 ea/Case



3M™ E-A-R™ Yellow Neons™ Earplugs 311-1250, Corded, Poly Bag, Regular Size, 2000 ea/Case



3M™ E-A-R™ Classic™ earplugs 390-1000, Uncorded, Value Pack, 2000 ea/Case



3M™ E-A-R™ Yellow Neons™ Metal Detectable Corded Earplugs 311-4106, in Poly Bag...



3M™ E-A-R™ FX™ Corded Earplugs 312-1260, in Poly Bag 2000 ea/Case

HEAR
PROTECTION





uvex K20 hi-viz



uvex K1 earmuffs



uvex K2 earmuffs



uvex K20



uvex K30



uvex KX10

HEAR **PROTECTION**





uvex hi-com detec disposable earplugs



uvex x-fit detec disposable earplugs



uvex xact-fit detec disposable earplugs



uvex whisper+ detec reusable earplugs



uvex x-cap banded ear protection



uvex x-fold banded earplugs

FIRE
PROTECTION





Apar Protect



Baju Pemadam Kebakaran Osw 2RF



Baju pemadam kebakaran Osw Aramid



Baju Pemadam Kebakran Osw 1RF



Dome Bell



Fire Alarm & Extinguisher Panel

FIRE PROTECTION





Helm Pemadam Kebakaran Bullard



Hidrant Pillar Two Way



Honeywell Leather Fire 7550



Kapak Pemadam Kebakaran atau Axe With Insulated Rubber



Kapak Pemadam Kebakaran atau Fire Axe



MSA M1 SCBA

FIRE PROTECTION





Fire Hidrant



Fire Hose



Glass Bulb Sprinkler



3M Manual Call Point



3M Propak F V2 Scott Fire



3M Sigma 2 Scott Fire

FIRE PROTECTION





Harvik Fire Fighter 9687L



Heat Detector



Helm Pemadam Kebakaran 911



Hose Nozzle



Huayan Composite Breathing Aparatus 6.8 Liter



Huayan Steel Breathing Aparatus 6 Liter

EMERGENCY
EQUIPMENT





P3K BOX

- Model 7501 portable gravity operated eyewash shall include a FDA approved high-density green polyethylene 9 gallon (34.1 L) tank, ABS plastic eyewash heads with .4 gpm (1.5 L) flow rate over 15 minutes, yellow pull-down activation arm, integral handle on top, wide-fill threaded cap, sign-mounted operating instructions, and stainless steel wall bracket (unit must be hung). Additive not included - Order separately.
- Dimensi : +/- 29 x 11.5 x 35 cm
- Material : Plastik



FIRE BLANKET

- Non Asbestos with hard casing Available size : 4"x4"; 4"x6 " ; 6"x6"



RING LIFE BUOY

- Fiber Material
- Weight : 2,5kg
- Standard : SOLAS 74/96
- Outer ring dia : 70cm
- Inner ring dia : 45cm



911 FOLDING STRECHER BASKET

- The Shell is manufactured from high density (HDPE) and fire-proof with a tubular aluminum frame to ensure maximum strength and stability of the stretcher. Molded in runners and handholds. With it's special sling equipment, ideal for lifting and transport by helicopter. Available in two models : One whole shell and Split into 2 parts (in picture) making it compact and easy to store. CE Standard. Weight 18 kg and max Load 159 kg. Dimension : 217x63x19cm

EMERGENCY
EQUIPMENT









FOLDING STRETCHER GEA 911

- Folding stretcher (aluminum stretcher) is a 2 fold stretcher made of aluminum and quality tarpaulin fabric. GEA 2 Folding Stretcher is lightweight and easy to carry, but has high strength and can withstand a maximum weight of 159 Kg. With affordable prices these stretchers are also commonly used by hospitals, gymnasiums, ambulances, military etc.
- Product specifications:
- Product dimensions: 2210 x 530 x 150mm
- Dimensions of folded product: 1100 x 180 x 220mm
- Net Weight: 6 Kg
- Maximum load weight: 159 Kg
- There is a shield belt
- There is a folding stretcher bag
- Stretcher handle made of rubber

SAFETY & SECURITY

EQUIPMENT





Master Lock 532 Thermoplastic Safety Padlock

Add to cart



Thermoplastic Safety Padlock 410

Add to cart



Steel Safety Padlock 461

Add to cart



Aluminium Safety Padlock 5835LF



Safety Padlock Caddy 5125

Add to cart



Padlock Station

Add to cart



Feature For Thermoplastic Padlock



Circuit Breaker Switch Padlock 7CSRED



Traffic Cone



Traffic Warning Post

Add to cart



Universal Wall Switch Cover

Add to cart



Wet Floor Sign

SAFETY & SECURITY

EQUIPMENT





Retractable Fence



Road Barrier



Road Fence Barrier



Thermoplastic Safety Padlock 410



Rubber Wheel Chock

Add to cart



Safety Lock Hasps

Add to cart



Safety Padlock Caddy S125

Add to cart



Top Bollard



Steel Tight Ball Valve Lockout Devices



Security Line

Add to cart



Steel Safety Padlock 401

Add to cart



Traffic Baton

RESPIRATORY **PROTECTION**





Sanding and Fiberglass Valved Respirator

8511

- Use for non-harmful dusts from sanding, grinding, sawing and mixing particles
- 3M™ Cool Flow™ Valve for heat reduction and easier breathing
- Lightweight design for improved comfort and greater mobility
- Advanced filter media for easier breathing
- NIOSH approved: N95

1 pack 8511NA1-C

10 pack 8511NB1-C



Sanding and Fiberglass Respirator

8200

- Use for non-harmful dusts from sanding, grinding, sawing and mixing particles
- Proprietary filter technology for easier breathing
- NIOSH approved: N95

1 pack 8200C1-C

3 pack 8200HA1-A

10 pack 8200HB5-A

20 pack 8200HB1-C



Welding Valved Respirator

8515

- Use for certain welding, soldering, metalworking and grinding
- For occupational/industrial applications only
- 3M™ Cool Flow™ Valve technology for heat reduction and easier breathing
- NIOSH approved: N95

1 pack 8515NA1-A



Household Multi-purpose Respirator

6502Q

- Use for certain non-harmful sprays and vapors from pesticides, oils & varnishes, coatings, metals & odor reduction
- For do-it-yourself/homeowner applications
- Balanced design for more comfort
- Snap-back cartridges for improved visibility
- NIOSH approved: OV/AG/P100

1 assembly 6502QNA1-C



Workshop Odor Respirator

6247

- Use in non-harmful dust and oil-based mists
- Carbon layer for odor reduction
- Advanced filter media for easier breathing
- NIOSH approved: P95

1 pack 6247NA1-C



Bleach Odor Respirator

6246

- Use to help reduce exposure from irritating odors of non-harmful levels of organic vapors (bleach, acid gas, as defined by OSHA)
- Carbon layer for reduction levels of acid gas
- NIOSH approved: P95

1 pack 6246NA1-A



Project Safety Kit

90305

- Includes 3M™ 6200 ABE Sanding and Fiberglass Respirator, 6000 Chemical Splash Impact Goggle, 90698 Corded Reusable Earplugs
- For do-it-yourself homeowner applications
- Excellent value, high-quality components and materials

1 kit 90305



Professional Multi-purpose Respirator with Drop-down Feature

6502QD

- Use for certain mists, dusts and sprays from coatings and sealants
- For occupational/industrial use only
- Drop-down feature for more versatility
- Balanced design for more comfort
- Snap-back cartridges for improved visibility
- NIOSH approved: OV/AG/P100

1 assembly 6502QDNA1-C



Professional Multi-purpose Respirator

6502Q

- Use for certain mists, dusts and sprays from coatings and sealants
- For occupational/industrial use only
- Balanced design for more comfort
- Snap-back cartridges for improved visibility
- NIOSH approved: OV/AG/P100

1 assembly 6502QNA1-C

RESPIRATORY **PROTECTION**





701 Cartridge (A1)

A1 Organic Vapor (boiling point > 65°C)
Assembled with 7N11 Filter and 510 Retainer
Swift Back Design for weight distribution



702 Cartridge (A1E1)

A1 Organic Vapor (boiling point > 65°C)
E1 Acid Gas
Assembled with 7N11 Filter and 510 Retainer
Swift Back Design for weight distribution



703 Cartridge (A1B1E1K1)

A1 Organic Vapor (boiling point > 65°C)
B1 Inorganic Vapor
E1 Acid Gas
K1 Ammonia and its derivatives
Assembled with 7N11 Filter and 510 Retainer
Swift Back Design for weight distribution



793 Series (793, 793C)

P3 Particulate filter
793 has glass fiber paper
793C has glass fiber paper and carbon bed
793C has long long Lasting odor removal
Easy to clean with durable plastic cover
No electrostatic charge applied
Very long service time in oil environment
Suitable for welding and grinding applications



2000 Series (2000-OV, 2000-AG)

P3 particulate filter
2000-OV reduces Organic Vapor odor
2000-AG reduces Acid Gas odor
Soft filter body can fit in tight welding shields
Economic solution with P3 grade filtering



7N11

P2 Particulate filter
Nonwoven filter
Cartridge assembly with 510 retainer
P2 filter only with 60 / 2 adapter
Most cost effective solution for particulate



SIZE
FFS680 S/M
FFS690 M/L



SIZE
7500 SMALL
7500 MEDIUM
7500 LARGE

RESPIRATORY **PROTECTION**





4700 Series (4701, 4701C)

KN95 particulate filter – China LA approval
4701 has low breathing resistance
4701C has carbon layer for odor removal
4700 Series filters need 4000 filter holder

4000 Series (4001, 4002)



Comply with China LA approval
4001 is Organic Vapor cartridge
4002 is Acid gas cartridge
Profile 4N11 can be assembled with 165 retainer

4N11 prefilter





Reducing mist and particulate
Optimized for paint spray application
With 165 retainer being assembled with cartridges



705 Cartridge (A2, P3)

P3 particulate protection with glass fiber filter
A2 Organic Vapor (boiling point > 65°C)
Swift Back Design for weight distribution



70923 Cartridge (A1E1, P3)

P3 particulate protection with glass fiber filter
A1 Organic Vapor (boiling point > 65°C)
E1 Acid Gas
Swift Back Design for weight distribution



70926 Cartridge (A1B1E1K1, P3)

P3 particulate protection with glass fiber filter
B1 Inorganic Vapor
E1 Acid Gas
K1 Ammonia and its derivatives
Swift Back Design for weight distribution

RESPIRATORY **PROTECTION**





3M Accessories 501 502 504



3M Versaflo Easy Clean Papr Kit TR 300 ECK



3M Versaflo Heavy Industry Park Kit TR 300 HIK



Half Face Reusable Respirators 3M 3200 Series



Half Face Reusable Respirators 3M 6000 Series



Half Face Reusable Respirators 3M 7500 Series

RESPIRATORY **PROTECTION**





3M PARTICULATE FILTER 2000 SERIES

- Standard NIOSH
- Particulate Filter are used for multipurpose protection against contamination particulate oil and non-oil
- Compatible with 3M Reusable Respirators
- Equipped with Advanced Electret Media (AEM) to deliver lightness and comfort during breathing (2091)
- Serves as a protection against: Particulate (2091); Particulate and Acid Gas (2096); and Organic Particulate and Steam (2097)



3M PARTICULATE FILTER 7093B, 5N11, 5P71 SERIES

- Standard NIOSH
- Permissible Exposure Limit (PEL) concentration is a maximum of 10 PELs (half face respirator) and 50 PEL (full face respirator) (7093B and 5P71)
- Compatible with 3M 501 Retainer and 3M 603 Filter
- Holder to reduce exposure to particulate contamination (5N11)
- Compatible used with 3M 603 Adapter for protection against particulate contamination (5P71)
- Serves as a protection against: Particulate, Metal Exposure, Asbestos, Cadmium, Arsenic and MDA (7093B); Non-oil particulates (5N11) and Organic Steam, Petrochemical, and Chemical Material Manufacturing (5P71)



3M ACCESSORIES 501, 502, 504

- Standard NIOSH
- Designed to hold 3M Particulate Filter 5N11 and 5P71 and compatible use with 3M Respirator 5000 Series, 3M
- Cartridges 6000 Series and 3M Filter Adapter 603 (501)
- Disposable respirator cleaner, wet tissue shaped and alcohol-free. Used to prevent the spread of germs and packaged in a manner individually and sealed (504)



3M VERSAFLO EASY CLEAN PAPR KIT TR-300-HIK

- Conveniently disposable - Save time cleaning with our maintenance-free disposable hood.
- Wider field of vision - Freedom to wear your own safety eyewear.
- Connect quickly - Our innovative Quick Release Swivel (QRS) connects quickly and helps avoid kinks in the breathing tube.
- Contoured design - Slim device with smooth outer surfaces can help work in tight spaces.
- The 3M™ Versaflo™ TR-300-ECK is a complete, ready to use HE PAPR system that is easy to clean and maintain. Suggested industries include: Pharmaceutical, Healthcare and Food Safety.
- The kit includes: S-655 Hood Assembly, BT-30 Length Adjusting Breathing Tube, TR-302N PAPR Unit, TR-327 Easy Clean Belt, TR-332 High Capacity Battery, TR-341N Battery Charger Kit, TR-3712N HE Filter, TR-3600 Prefilter, TR-970 Airflow Indicator.



3M VERSAFLO HEAVY INDUSTRY PAPR KIT TR-300-HIK

- Stay productive - With our PPE equipment designed for compatibility, you can easily accommodate eyeglasses and attach earmuffs.
- See clearer - Durable faceshield protects against flying objects and sparks while retaining optical clarity.
- Breathe easier - When working in hot, humid conditions, stay comfortable with powered air.
- Work longer - An extended battery life option lets you work in a remote location for longer periods of time.
- The 3M™ Versaflo™ TR-300-HIK is a complete, ready to use HE PAPR system for industrial applications.
- The kit includes: M-307 Respiratory Hard Hat Assembly, TR-302N PAPR Unit, TR-326 High Durability Belt, TR-341N Battery Charger, TR-3712N Filter, TR-362 Spark Arrestor/Prefilter, TR-332 High Capacity Battery, BT-40 Heavy Duty Breathing Tube, TR-970 Airflow Indicator.

BODY
PROTECTION





Coverall 3M 4520



Coverall 3M 4570



Coverall Microporus Solida



Appron PVC



Baju Wearpack



Coverall 3M 4510 and 4515

BODY
PROTECTION





Disposible Coverall



Disposible Gown



Imperial Commercial Inflatable



Jaket Pelampung Atunas



Jas Hujan Be Safe



Jas Hujan Besgard

HAND
PROTECTION





uvex phynomic lite safety glove



uvex phynomic lite safety glove



uvex phynomic allround safety glove



uvex rubiflex ESD NB27A chemical protection glove



uvex athletic lite ESD



uvex u-fit ft chemical protection glove

HAND
PROTECTION





Sarung Tangan Uvex Rubiflex S Xg



Uvex Rubiflex S Long Version



Uvex Rubiflex S



Summitech M08BO High Impact Para Aramid Synthetic Leather Palm Protective Gloves



Summitech GT F 09C Nitrile Flocklined Glove



Summitech GT F 07C Nitrile Flocklined Glove

HAND
PROTECTION





Summitech PI6 5 BK 13 Gauge HPPE



Summitech PD6GY 13G White Hppe Gloves



Summitech NP F 07 Glove Chloroprene Flocklined Glove



Sarung Tangan N102FT PF Natural Rubber Disposable



Sarung Tangan N101MT PF Nitrile Disposable



Sarung Tangan Castong Garr 15 Heat Resistant up to 500

HAND
PROTECTION





Summitech PI6 5 BK 13 Gauge HPPE



Summitech PD6GY 13G White Hppe Gloves



Summitech NP F 07 Glove Chloroprene Flocklined Glove



Sarung Tangan N102FT PF Natural Rubber Disposable



Sarung Tangan N101MT PF Nitrile Disposable



Sarung Tangan Castong Garr 15 Heat Resistant up to 500

FOOTWEAR
PROTECTION





Oliver 22 Series 16" PVC Steel Toe



Oliver 45 Series 9" Lace-Up Composite Toe



Oliver 45 Series 9" Lace-Up Composite Toe Insulated



Oliver 45 Series Black 7" Lace-Up Composite Toe EH



Oliver 45 Series Brown 7" Lace-Up Composite Toe EH



Oliver 45 Series Wheat 7" Lace-Up Composite Toe EH



Oliver 48 Series Slip-On Steel Toe



Oliver 55 Series 6" Lace-Up Steel Toe



All Safe® Rubber Boot



Wayne Inyati Heavy-Duty PVC/ Nitrile Safety Gumboots

FALL
PROTECTION



Industrial Solutions – Latchways® Overhead Systems

With Latchways overhead systems, all you have to do is look up and you'll find a greater sense of security and confidence. Combining MSA's unique knowledge of fall protection with innovative Constant Force technology, our overhead systems deliver maximum accessibility and hands-free mobility—not to mention ease of use and simple installation. The Latchways range of overhead systems house Constant Force technology in an in-line energy absorber, so if a worker connected to the system should fall, the Constant Force energy absorber controls the load back to the structure. Simply put, it's a smartly designed system precisely engineered to react lightning quick, ideal for industrial environments and in applications such as warehouses, loading bays and airplane hangars. Latchways overhead system is heads above when it comes to fall protection safety.



MSA Latchways® Sealed SRL

The world's first completely field serviceable sealed SRL. Specifically designed for use within harsh environments such as oil rigs, offshore wind farms and other offshore applications, enabling unhindered hands-free fall protection solutions.

- IP66K ingress protection
- Frictionless Constant Force® braking mechanism
- ATEX assessed
- Impact resistant housing
- 100% Full Contact™ locking mechanism
- Stainless steel chassis and components
- Up to 140 kg worker capacity
- Completely field serviceable
- Certified to BS EN 360:2002
- Assessed to BS EN 13463-1:2001 and EN 13463-5: 2003, group II, category 2 G c IIC T6



Part No.	Description
62810-0018	Latchways Sealed SRL, 9m, stainless steel cable
62816-0018	Latchways Sealed SRL, 15m, stainless steel cable
62826-0018	Latchways Sealed SRL, 23m, stainless steel cable
62841-0018	Latchways Sealed SRL, 40m, stainless steel cable

FALL
PROTECTION



NEW MSA V-FIT™

With distinctive design and extended padding, V-FIT range of full body harnesses provides high level comfort for users in all applications.

- Fall arrest rated textile loops at the front and a lightweight aluminium back D-ring
- Harness version with two lateral aluminium D-rings
- Fully adjustable shoulder, chest strap and thigh straps
- Shoulder and leg padding
- Dual load indicator
- Bayonet style buckles with locking engagement window
- Lanyard keepers on shoulder straps
- Two tool holder loops at the back of the waist belt
- 140 kg load capacity
- Certified to EN 361:2002 and EN 358:1999 (depending on model)

Description	MED	LG	XLG
V-FIT harness, back D-ring, front loops, bayonet buckles **(1)**	1018201	1018201	1018203
V-FIT harness, back D-ring, front loops, 2 side D-rings, waist pad, bayonet buckles **(2)**	1018202	1018202	1018203



NEW MSA V-FORM™ Anti-Static

This harness is designed to offer a perfect solution for working safely in a potentially explosive atmosphere. It is made of polyester with 5 conductive threads to achieve the anti-static property.

- Two front attachment textile loops and the forged aluminium dorsal D-ring for Fall Arrest
- Stainless steel Quick-Fit buckles
- Adjustable chest, shoulder and leg straps
- Dual load indicator
- 140 kg load capacity
- Compatible Anti-Static lanyard (see page 9)
- Certified to EN 361:2002
- **Assessed against ATEX requirements** EN ISO 80079-36:2016 and EN ISO 80079-37:2016

Description	SM	MED/LG	XLG
V-FORM harness, anti-static, back D-ring, Quick-Fit buckles	1018209	1018205	1018206



FALL
PROTECTION



MSA Latchways Personal Rescue Device® (PRD®)

The lightweight, unobtrusive MSA Latchways PRD® is a patented integrated safety harness system for self-rescue.

- Dramatically reduces rescue time
- 20 m descent height
- Up to 140 kg worker capacity
- Descent speed: 0.5 – 2 m per second
- Approvals
- Harness (depending on model) EN 361, EN 358
- Descender device EN 341: 2011 Type 1, Class D
- Successful assessment against EN 13463-1:2009 and EN 13463-2:2009 under ATEX category Ex II 2G c IIC T3 for PRD with RHD and RHS harnesses

Description	Small	Medium	Large	Extra Large
Personal Rescue Device with Workman Premier harness, Quick-fit leg straps	68215-005	68215-00M	68215-00L	–
Personal Rescue Device with Workman Premier harness, Bayonet leg straps	68216-005	68216-00M	68216-00L	–
Personal Rescue Device with Workman Utility harness, Bayonet leg straps	68217-005	68217-00M	68217-00L	–
Personal Rescue Device (PRD Model)	68202-005	–	68202-00L	68202-00XL
Personal Rescue Device (PRD Model)	68203-005	–	68203-00L	68203-00XL



Anthron Descent Device System

The Anthron DSD Plus is a manually operated descent device. It is used for suspended work positioning, self evacuation, or rescue operations.

- Rope roping/rigging diagrams are clearly indicated on the descender
- The descender can be installed/removed at any point on rope
- Certified to EN 341: 2011

Part No.	Description
10161345	Descender Anthron Kit consisting of Anthron DSD Plus device, 20 m of 11 mm polyamide rope, bag, without carabiner



FALL
PROTECTION



Carabiners

MSA carabiners have a minimum breaking strength of 22.24 kN. They are certified to EN 362:2004.

Part No.	Description
10144125	Steel screwgate carabiner, 17 mm gate
10080671	Steel autolock carabiner, 22 mm gate
10080636	Steel autolock carabiner, 52 mm gate
10153585	Steel triple lock carabiner, 25 mm gate
10144126	Aluminium screwgate carabiner, 19 mm gate
10080677	Aluminium cathold autolock carabiner, 52 mm gate



Harness Accessories

The practical cell phone holder comes with Velcro attachments for fitting to the harness. With the tool lanyard you can securely carry or stow tools when working.

Part No.	Description
10117271	Cellphone holder
10110670	Tool lanyard



Hands-Off Chisel Grip

The spark resistant Hands-Off chisel grip keeps hands away from the point of contact. It is ergonomically designed to match the specific shape of the human hand for a comfortable and firm grip and permits faster, safer, more accurate work.

Part No.	Description
10040018	Hands-Off chisel grip



Ergonomic Tool Holder

Easier awkward hand positioning with a vibration-absorbing design to hold wrenches, chisels, etc. and attaches to broom handles and mops for better grip.

Part No.	Description
507005	Tool holder, 45 cm



FALL
PROTECTION





Ladders, Telecom and Transmission Towers – Latchways® Vertical Systems

Anywhere in the world, wherever there's a call for telecoms, masts, rooftops or any at-height work space—you are likely to find a Latchways vertical cable-based fall protection system. All you have to do is scan the horizon. Featuring our brilliantly engineered TowerLatch and LadderLatch systems, the Latchways system options offer outstanding personal safety for those working at height, particularly in the telecom and wind energy industries. Both TowerLatch and LadderLatch emphasise inherent flexibility, meaning they can be configured for a wide variety of applications, including ladders, towers, masts, monopoles and other structures specific to these industries.

MSA Latchways® Retrieval SRL

The Retrieval SRL has two modes of operation: self-retracting lifeline for normal use and retrieval for rescue. In the case of a fall onto the Retrieval SRL, the integral retrieval can be used to lift the casualty to a safe position for rescue.

- Completely field serviceable
- Dust- and water-resistant, IP58
- Frictionless Constant Force® braking mechanism
- ATEX assessed
- Impact resistant housing
- 100% Full Contact™ locking mechanism
- Stainless steel chassis and components
- Up to 140 kg worker capacity
- Certified to EN 360:2002, EN 1496:2006, class B

Part No.	Description
6200-00UK	Latchways Sealed SRL with Emergency Retrieval, 15 m stainless steel cable



FALL
PROTECTION



D-Ring Extender

The D-Ring Extender allows easier access to the dorsal D-ring without any external help.

- 0,5m D-ring extension with a webbing loop at one end, steel D-ring at other end
- Abrasion resistant polyester webbing
- Certified to EN 354:2010

Part No.	Description
10180209	D-Ring Extender, BV



Suspension Trauma Safety Step

The Suspension Trauma Safety Step is designed to help workers in a post-fall suspension position avoid the effects of suspension trauma. Workers can use a single Safety Step or two Safety Steps (one for each leg) to provide additional support, balance, and comfort.

- Compact, lightweight, versatile
- Multiple attachment point options
- Fast, easy installation and deployment
- Attaches to any harness
- Multiple loop design accommodates all heights and sizes

Part No.	Description
10143346	Suspension Trauma Safety Step with carabiner
10143347	Suspension Trauma Safety Step without carabiner
10129892	Braun Chair, with metal seat



FALL
PROTECTION



Restraint lanyards

A fall restraint lanyard connection is used between the anchor point and the body harness to prevent the user from reaching the fall area and work positioning (restricting a worker at an elevated location) applications.
MSA restraint lanyards are available in cable, webbing and kernmantel rope.

- Certified to: EN 358:1999 and EN 354:2010 (depending on model)



Part No.	Description
10185680 (1)	Restraint lanyard, webbing, 1.5m fixed length, steel scaffold/pipe carabiners
10185613 (2)	Restraint lanyard, kernmantel rope, 1.8m fixed length, steel twist lock carabiners
10185620 (3)	Work Positioning Lanyard with Aluminium rope-grab adjuster, Alu twist lock carabiners, a 30cm long protective covering sleeve
10103692 (4)	Restraint Lanyard, cable, 1.5 m fixed length, 19 mm snaphooks, 35 mm width



Rebar Assemblies

Designed for work positioning applications such as tying rebar or constructing concrete forms.

- Certified to EN 358: 1999

Part No.	Description
10102695	Rebar web assembly, 25 mm polyester, 53 cm legs, with 4 dring large snaphooks



FALL
PROTECTION



Anchorage connectors are compatible for use with MSA fall arrest and confined space entry/retrieval components. They have a minimum breaking strength of 22.2 kN. Certified to EN 795.



MSA Workman® Anchorage Sling

- 25 mm webbing

Part No.	Description
10115862	MSA Workman anchorage sling, 1.5 m
10115863	MSA Workman anchorage sling, 3 m



Anchorage Connector Strap

- D-ring on one end and a sewn loop on the other end

Part No.	Description
10100221	Anchorage connector strap nylon, 1.5 m
10100222	Anchorage connector strap, polyester, 1.5 m



PointGuard Anchorage Connector Strap

- Quick and easy to install
- Residential construction
- Durable polyester webbing

Part No.	Description
10100224	PointGuard anchorage connector strap, 0.9 m with D-ring



Anchorage Cable Sling

- Vinyl coated
- 6.35 mm galvanised cable
- Thimble eye spliced

Part No.	Description
10101062	Anchorage cable sling, 1.2 m
10101063	Anchorage cable sling, 1.8 m



MSA Workman® FP Stryder

The Workman FP Stryder is a component of a personal fall arrest system, serving as an anchorage connector to the horizontal I-beam.

- Low friction wear pads with Teflon® eliminate metal-to-metal contact and allow the FP Stryder anchorage connector to glide effortlessly along the beam flange
- Integral load indicator
- Varnier adjustability allows for a secure fit and ¼" adjustment intervals
- Durable aluminium alloy stryder on standard version and alloy steel on XL version
- Certified to EN 795:2012

Part No.	Description
10115861	FP Stryder Anchorage Connector, Standard version, fits beam flange width(s) from 10 to 24 cm, EN
10115862	FP Stryder XL Anchorage Connector, XL version, fits beam flange width(s) from 25 to 60 cm, EN



MSA Thermatek Anchorage Connector Strap

- Kevlar webbing and stitching
- Contrasting colours allow for easier inspection
- Includes replaceable wear pad to protect webbing from abrasion
- Heat and burn resistant

Part No.	Description
10100221	Thermatek anchorage connector strap, 1.5 m

FALL
PROTECTION



FEATURED



V-FIT™ Safety Harness

FEATURED



V-FORM™ Full Body Harness

FEATURED



V-FORM™ Safety Harness



Gravity® Suspension Harnesses

FEATURED



V-TEC™ Mini Personal Fall Limiter

FEATURED



V-EDGE™ Leading Edge Self - Retracting Lifeline

FEATURED



V-TEC™ Self-Retracting Lifeline



Latchways Sealed Self-Retracting Lanyards

FEATURED



Latchways Personal Rescue Device®

FEATURED



Rescue Utility System



Anthron Descender



Rescue Components

FALL PROTECTION



FEATURED



V-SERIES Stretch Shock Absorbing Lanyard

FEATURED



Workman® Energy-Absorbing Lanyard



Diamond® Energy-Absorbing Lanyard



Restraint Lanyards

FEATURED



Confined Space Entry Kits

FEATURED



MSA Rescuer

FEATURED



Personnel/Material Hoists



Workman® Tripods

FEATURED



Workman FP Stryder™ Beam Anchor



Cable Sling



Carabiners



Freestanding Constant Force® Post

MACHINE
INDUSTRIAL







zwickiLine materials testing machines Z0.5 up to Z2.5



zwickiLine range with testControl II electronics



zwickiLine with CE-compliant safety device

INDUSTRIAL
MAINTENANCE





Spill Pallet



Swipe All C80 Chemical Sorbent Pad



Swipe All C82 Chemical Sorbent Pillow



Sorbent Oil



Poly Storage Cabinet Solent UK



Sorbent Chemical Only



Swipe All C86 Chemical Sorbent Sock



Swipe All C89 Chemical Spill Kit 120L



Swipe All P80 Oil Sorbent Pad



Swipe All P82 Oil Sorbent Pillow



Swipe All P86 Oil Sorbent Sock



Swipe All P88 Oil Spill Kit 45L

INDUSTRIAL
MAINTENANCE





Swipe All S70 Jumbo Roll White



Swipe All S70 Quarter Fold White



Swipe All W90 Quarter Fold Blue



Anti Fatigue Matting



Anti Slip Spillage Matting



Barrier High Visibility Heavy Duty Bag

Support by

TRUSTED BRAND





A3 KARUNIA

PARTNER & SOLUTION

Address :
Puri Indah blok D4
Sidoarjo - Indonesia

Email :
a3k@a3karunia.co.id
a3karunia@yahoo.com

Phone 0822 2566 5633
website : www.a3karunia.co.id